


I'm not robot!



Festool systainer t-loc sys-combi 4. Festool sys-hwz systainer 4 t-loc with hand tool insert. Festool sortainer t-loc sys 4 tl-sort/3 systainer. Festool systainer 3 dimensions. Festool systainer t-loc sys 4 tl-sort/3. Festool systainer t-loc sys 4 tl.

Everything works perfectly within reach. All instead, all of the finding, sure, clearly organized, within its reach. The transparent cover means that it is easy to see what pieces and puzzle blades or puzzle are inside. With two separation strips of variables and eight variables, the cover compartment can be divided to adapt to the user. Everything is found in the T-Loc system: masks, manual tools, accessories, small parts and other equipment. The fundamental point is the T-Loc, the central control element: close, open, connect with only one shift. Particularly saving time: with T-Loc, the T-Loc system can be opened without having to disconnect it in advance. At a height of 157.5 mm, it is ideal for tools and also can be connected with the classic incl. Cover for the label field not more unnecessary, hands or compartments. Ask for and clean the organization save time and create a highly professional appearance. Everything is effectively protected against dust, sprinkling water and impacts. And the compartment of the integrated cover provides additional space. Compatible and can be connected to all generations of Systainer, móvil dust extractors and many other systems accessories. SYS 2 TL-DF AS SYS T-LOC DF 1 at 3. Heights: 105 mm, 157.5 mm and 210 mm. The compartment of the integrated lid provides additional space for accessories such as puzzle blades, bits and bits. T-Loc is the central control element that combines three functions in one and is increasingly easy to operate. The T-Loc system can be opened without having to disconnect it in advance. For the size Sys T-Loc DP 1 and 2, a sliding handle is available as an accessory. Label fields to insert visiting cards or labels that can be created and print and with a clear through the Festool website. Systems are compatible and can be connected to all generations of systems, mobile dust extractors noS :nemuser nE .C^A04- a C^A09+ ed sarutarepmet arap soda±Aesid nĀtse S reniatsyS .aicnestsiser amixĀm al azitnarag otsubor larutcurtse o±Aesid nu y SBA %001 ocitsĀlp ed n^Aicanibmoc aL .odarapes rop selbinopsid nĀtse lootseF saniuqĀm arap sodnufor serotcuder ed sotresni soL .ratropsnart ed licĀf ,sotcapni sol y arutarepmet ed senoicautcuf sal artnoc odigotorP .dadinutrop anugini neneit on n^Aicazirevlp ed auga le y ovlop lE .etneilc led oitis le ne etnemacerid razilitu a enop es odnauc adazinagro aicneirapa .ydt :setneilc sus a Āranoiserpmi n©Āibmat otsE .ametsis led soirosecca sorto sohcum y selivĀm ovlop ed serotcarte ,reniatsyS ed senoicareng sal sadot noc selbitapmoc nos soirosecca soL .lootseF ed bew oitis led s©Āvart a aralc etneuf anu noc y etnemlicĀf rimirpmi e raerc neduep es euq sateuqite o atisiv ed satejrat ratresni arap ateuqite ed sopmaC .oirosecca omoc elbinopsid Ātse etnazilsed ogran nu ,2 y 1 so±Aamat FD COL-T SYS araP .onametna ed olratcenocsed euq renut nis rirba edeup es COL-T reniatsyS lE .rarepo ed licĀf etnemelĀercni se y anu ne senoicnuf sert anibmoc euq lartnec lortnoc ed otnemele le se COL-T .sacorb y stib ,sazebacepmor ed salihuc omoc soirosecca arap lanoicida



